



"unknown type" "intermediate language"

Search

Advanced Search

Web Show options...

Results 1 - 30 of about 817 for "unknown i

CiteULike: Compiling polymorphism using intensional type analysisAug 17, 2009 ... use a universal representation for objects of **unknown type**. ... typing properties of an **intermediate language** that allows run-time type ...www.citeulike.org/group/10995/article/5447063 - [Cached](#)DRuby - Technical PapersIn this paper, we present the Ruby **Intermediate Language** (RIL), a Ruby front-end and ... and we discovered several previously **unknown type** errors. ...www.cs.umd.edu/projects/PL/druby/publications.html - [Cached](#) - [Similar](#)Extensible type system for representing and checking consistency ...A typed **intermediate language** is even more difficult to implement if it must shown in Appendix A also includes an "**unknown**" **type**, which can represent ...www.patentstorm.us/patents/7086041/description.htmlMethods for enhancing type reconstruction - US Patent 6981249 ...The portion includes an **unknown type** and a remainder of the portion. Inventor: Alexander, III, et al.6560774Verifier to check **intermediate language** ...www.patentstorm.us/patents/6981249/description.htmlGenerics in C#, Java, and C++... down to IL [**Intermediate Language**] and metadata just like any normal type. in other words, a function where the argument is the **unknown type**? ...www.artima.com/intv/genericsP.html - [Similar](#)C (programming language) - Wikipedia, the free encyclopediaC is sometimes used as an **intermediate language** by implementations of other languages..... Void pointers (void *) point to objects of **unknown type**, ...[en.wikipedia.org/wiki/C_\(programming_language\)](http://en.wikipedia.org/wiki/C_(programming_language)) - [Cached](#)[PDF] Intensional Polymorphism in Type-Erasure SemanticsFile Format: Microsoft Powerpoint - [View as HTML](#)Create functions from types to values; Code may branch on an **unknown type** Used by the language iML , the **intermediate language** of TIL/ML and FLINT ...www.seas.upenn.edu/~sweirich/talks/princeton.pptExtensible type system for representing and checking consistency ...by MR Plesko - 2005 - [Related articles](#)For example, C# and Microsoft **Intermediate Language** used in Appendix A also includes an "**unknown**" **type**, which can represent any type and optionally ...www.freepatentsonline.com/7086041.htmlType system for representing and checking consistency of ...

by MR Plesko - 2003

An **unknown type** representation indicates that an element of the **intermediate language** is associated with an **unknown type**. A method of type-checking a code ...www.freepatentsonline.com/y2005/0015673.html[Show more results from www.freepatentsonline.com](#)[PS] Type Dispatch for Named Hierarchical Types

File Format: Adobe PostScript

by N Glew - Cited by 37 - [Related articles](#) - All 19 versions**intermediate language**. She might define a construc- tor of this sum, intbin, for an **unknown type**, e1, with a tag for a known type, e2. ...

glew.org/glew/papers/tagging-icfp.ps.gz

[PDF] Gradual Typing for Objects

File Format: [PDF/Adobe Acrobat](#) - [Quick View](#)

by J Siek - 2007 - Cited by 32 - [Related articles](#)

The type safety proof for the **intermediate language** has its origins in the type system but relies on subtyping and treats the **unknown type** as the top ...

ece-www.colorado.edu/~siek/gradual-obj.pdf

Type Dispatch for Named Hierarchical Types *

by N Glew - 1999 - Cited by 37 - [Related articles](#)

intermediate language. She might define a constructor of this sum, intbin, for an **unknown type**, ei, with a tag for a known type, e2. ...

portal.acm.org/ft_gateway.cfm?id=317797&type=pdf - Similar

Compiling polymorphism using intensional type analysis

by R Harper - 1995 - Cited by 330 - [Related articles](#) - All 14 versions

... polymorphism use a universal representation for objects of **unknown type**. ... the typing properties of an **intermediate language** that allows run-time type ...

portal.acm.org/citation.cfm?id=199475 - Similar

[Show more results from portal.acm.org](#)

Tag-free garbage collection using explicit type parameters ...

... polymorphism use a universal representation for objects of **unknown type**. ...

Unfortunately, no current **intermediate language** supports this facility. ...

citeseer.umd.edu/8083/citeseer/showciting.jsessionid...?cid... - [Cached](#)

[PDF] DYNAMIC TYPING WITH DEPENDENT TYPES

File Format: [PDF/Adobe Acrobat](#) - [Quick View](#)

by X Ou - Cited by 26 - [Related articles](#) - All 17 versions

In these **intermediate-language** programs, all dynamic checks represent values of completely **unknown type** and a typecase operation to the simply- ...

www2.research.att.com/~yitzhak/publications/dynamic.pdf

TIL: A Type-Directed Optimizing Compiler for ML

by D Tarditi - Cited by 376 - [Related articles](#) - All 45 versions

unknown type, then we use typecase ... is a more regular **intermediate language** than Lmli that facilitates optimization. The translation ...

citeseer.ist.psu.edu/viewdoc/download?doi=10.1.1.63.777&rep...

Wapedia - Wiki: C (programming language)

C is sometimes used as an **intermediate language** by implementations of other languages.

.... Void pointers (void *) point to objects of **unknown type**, ...

[wapedia.mobi/en/C_\(programming_language\)?t=4](http://wapedia.mobi/en/C_(programming_language)?t=4) - [Cached](#)

[PDF] From System F to Typed Assembly Language

File Format: [PDF/Adobe Acrobat](#) - [Quick View](#)

by G MORRISSETT - Cited by 770 - [Related articles](#) - All 56 versions

describes the first **intermediate language**, λK , and gives a typed CPS pointers may be associated with a type, and that a tag for an **unknown type** α can ...

www.cs.princeton.edu/~dpw/papers/tal-toplas.pdf - Similar

Gradual Typing for Objects

by J Siek - 2007 - Cited by 32 - [Related articles](#)

We do not allow "no-op" casts in the **intermediate language** to simplify the type system but relies on subtyping and treats the **unknown type** as the top ...

www.springerlink.com/index/a052j27um6829356.pdf - Similar

[PS] TIL: A Type-Directed Optimizing Compiler for ML

File Format: [Adobe PostScript](#) - [View as HTML](#)

by D Tarditi - Cited by 376 - [Related articles](#) - All 45 versions

intermediate language. The phase after closure conversion ... ment of **unknown type**, then we use typecase to determine the proper representation, according ...

www.cs.cornell.edu/People/fgm/papers/pidi96.ps

Stochastic Modelling of Communication Protocols from Source Code ...

by MJA Smith - 2007 - Cited by 3 - Related articles - All 4 versions

Sep 4, 2007 ... and appear externally as the **unknown type** CIL: Intermediate language and tools for analysis and transformation of C programs. ...

linkinghub.elsevier.com/retrieve/pii/S1571066107005622 - Similar

[PDF] TIL: A Type-Directed Optimizing Compiler for ML

File Format: PDF/Adobe Acrobat - View as HTML

by D Tarditi - 1996 - Cited by 376 - Related articles

unknown type, then we use **typecase** to determine the proper ... is a more regular **intermediate language** than **Lml1** that facilitates optimization. ...

handle.dtic.mil/100.2/ADA506265 - Similar

[PS] Abstract 1 Introduction 2 Type-directed unboxing

File Format: Adobe PostScript - View as HTML

by X Leroy - Cited by 48 - Related articles - All 6 versions

tions with statically **unknown type** test the array tag at. run-time, and if it is a oat array, ... special loop constructs in the **intermediate language**. ...

www.cs.bc.edu/~muller/TIC97/Leroy.ps.gz

Intensional polymorphism in type-erasure semantics

by K CRARY - 2002 - Cited by 140 - Related articles

unknown type, and that **unknown type's** identity can be determined at run time demonstrate a simple use of **LR** as an **intermediate language**. ...

journals.cambridge.org/production/action/cjoGetFulltext?fulltextid... - Similar

[PDF] AUTOMATIC TRANSFORMATION OF HIGH-LEVEL LOGIC SPECIFICATIONS INTO ...

File Format: PDF/Adobe Acrobat - View as HTML

by A Pan - Related articles - All 5 versions

lb make our **intermediate language** more uniform, we will use **Prolog** means the parameter is a structured type, with the element of **unknown type**. ...

www.cis.uab.edu/bryant/papers/ics90.pdf

[PS] Foundational Typed Assembly Language for Grid Computing

File Format: Adobe PostScript - View as HTML

by JG Vanderwaart - Cited by 11 - Related articles - All 12 versions

A Generic **Intermediate Language** In order to show that TALT-R's type system m arguments, a portion of **unknown type** p1, the exception handler (of type ...

reports-archive.adm.cs.cmu.edu/anon/2004/CMU-CS-04-104.ps

[PDF] Towards Open Type Functions for Haskell

File Format: PDF/Adobe Acrobat - Quick View

by T Schrijvers - Cited by 9 - Related articles - All 11 versions

Initially, type inference assigns an **unknown type** α to c. The insert call requires ... the strongly-typed **intermediate language**. ...

research.microsoft.com/en-us/um/people/simonpj/papers/.../tif2007.pdf

C (programming language): Facts, Discussion Forum, and ...

In computer science, an **intermediate language** is the language of an abstract machine

Void pointers (void *) point to objects of **unknown type**, ...

www.absoluteastronomy.com/topics/C_(programming_language) - Cached

CodeProject: Code generation at runtime, Free source code and ...

Mar 16, 2006 ... Using reflection to process an object of an **unknown type** at ... NET assemblies are collections of **Intermediate Language** (IL) code compiled ...

www.codeproject.com , ... , .NET Framework , General - Cached - Similar

[PDF] Gradual Typing for Functional Languages

File Format: PDF/Adobe Acrobat - Quick View

by JG Siek - Cited by 34 - Related articles - All 14 versions

number and whose second element has an **unknown type**. To pro- Next we define a type system for the **intermediate language** λ (τ) ...

scheme.2006.cs.uchicago.edu/13-siek.pdf - Similar

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)[Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Go](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Go](#)